

DIGITAL CAMERA

KODAK PIXPRO

WPZ2 32G

•WATERPROOF •SHOCKPROOF •DUSTPROOF

- Triple-proof design (waterproof, dustproof, shockproof)
- Versatile shooting modes
- Image stabilization
- Macro functionality



Model	WPZ2			
Lens	Total Pixels	16.76 MP		
	Focal Length	4.9mm (Wide) ~ 19.6mm (Telephoto)		
	Equivalent to 35mm Camera	27mm (Wide) ~ 108mm (Telephoto)		
	Aperture Value	F3.0 (Wide) ~ F6.6 (Telephoto)		
	Lens Construction	7 groups, 7 elements		
	Optical Zoom	4x		
	Focus Range	Normal: (Wide) 60cm ~ ∞, (Telephoto) 100cm ~ ∞; Macro: (Wide) 5cm ~ ∞;		
	Autofocus system	TTL autofocus		
	Image stabilization system	Digital image stabilization		
	Digital zoom	6x digital zoom (combined with optical zoom: 24x total)		
	Still Images	(4:3) 16MP: 4608 × 3456 10MP: 3648 × 2736 5MP: 2592 × 1944 3MP: 2048 × 1536 0.3MP: 640 × 480	(3:2) 14MP: 4608 × 3072	(16:9) 12MP: 4608 × 2592 2MP: 1920 × 1080
	Movies	1920×1080 (30fps), 1280×720 (60/30fps), 640×480 (30fps), High-Speed Movie: 640×480 (120fps)		
Image Quality	Fine, Standard, Normal			
	DCF, DPOF (Ver1.1)	Supported		

Disclaimer

Accuracy of all technical data and information are provided to the best knowledge of the manufacturer.
Properties, specifications and application parameters are subject to change without notice. The manufacturer does not undertake any liability of any kind whatsoever.

Stay Connected, Stay Safe

Built for marine professionals, Ocean One radios ensure reliable communication and enhanced safety on every voyage.

Model	WPZ2	
File Formats	Static Photos Video Recording	Exif 2.3 (JPEG) MOV [Video (H.264), Audio: Linear PCM (Mono)]
Shooting Modes	Auto Mode, AE Program, Manual Mode, Movie Mode, Scene Mode, Underwater Mode, Wi-Fi Mode	
Scene Modes	Portrait, Landscape, Sports, Beach, Sunset, Fireworks, Night Scene, Snow, Children, Panorama, Glass, Anti-Shake, Tracking Shot, Party, Night Portrait, Indoor, Greenery, Museum	
Detection Functions	Face Detection, Smile Shutter, Blink Detection	
Waterproof Rating	Up to 15 meters	
Drop Resistance	Up to 2 meters	
Dust Resistance	Equivalent to JIS/IEC (IP6X)	
Red-eye Removal	Supported	
HDR	Supported (Post-processing)	
Panorama Shooting	Up to 360°	
LCD Screen	2.7 inches, 230k pixels	
ISO Sensitivity	Auto, ISO 100/200/400/800/1600/3200	
Focus Mode	Single-point AF, Multi-point AF (TTL-25-point AE), Face Priority AF	
Exposure Mode	Intelligent AE (AiAE), Spot, Multi, Face Detection	
Exposure Control	Programmed AE (AE Lock)	
Exposure Compensation	± 3EV in 1/3-stop increments	
Shutter Speed	1/2000 ~ 4 sec (Up to 30 sec in manual mode)	
Continuous Shooting	Up to 6 fps at full resolution	
Playback Mode	Single frame playback, Index playback (9/16 images), Slide show, Date folder playback, Continuous folder playback, Zoom (2 to 8x)	
White Balance	Auto WB, Daylight, Cloudy, Fluorescent, Cool White Fluorescent, Tungsten, Manual WB, Color Temperature (1900K-10000K), Underwater	
Flash	Flash Activation Method: Built-in Flash Modes: Flash Off, Auto Flash, Forced Flash, Slow Sync, Slow Sync + Red-Eye Reduction, Red-Eye Reduction	
Storage Media	Built-in Memory: Approx. 8MB microSD/microSDHC Card (Supports up to 32GB; MMC cards not supported)	
Multi-language Support	26 languages	
Terminal	USB 2.0 (Micro 5-pin USB)	

Disclaimer

Accuracy of all technical data and information are provided to the best knowledge of the manufacturer. Properties, specifications and application parameters are subject to change without notice. The manufacturer does not undertake any liability of any kind whatsoever.

Stay Connected, Stay Safe

Built for marine professionals, Ocean One radios ensure reliable communication and enhanced safety on every voyage.

Model	WPZ2
Wi-Fi	Supported (802.11 b/g/n)
Remote Control	Supported (via smart device)
Power Source	Rechargeable Lithium-ion Battery LB-015, 3.7V 700mAh, supports in-camera charging.
Power Source	Rechargeable Lithium-ion Battery LB-015, 3.7V 700mAh, supports in-camera charging.
Operating Environment	Temperature: 0 ~ 40°C, Humidity: 0 ~ 90%
Camera Dimensions	103.2 x 66.7 x 52.4 mm (based on CIPA testing standards)
Camera Weight	Approx. 176 g (excluding battery and memory card)

Accessories

NOTE: Supplied package includes: Li-ion battery pack, drop-in charger, belt clip, high-efficiency antenna and quick-start user guide.



CD Card
For storage expansion and data transfer.



Carrying Case
Provides device protection against scratches and impact.



Rechargeable Battery
Powers devices and supports repeated charging.



Data Cable
For charging and data syncing.

Disclaimer

Accuracy of all technical data and information are provided to the best knowledge of the manufacturer. Properties, specifications and application parameters are subject to change without notice. The manufacturer does not undertake any liability of any kind whatsoever.

Stay Connected, Stay Safe

Built for marine professionals, Ocean One radios ensure reliable communication and enhanced safety on every voyage.